

SAFETY DATA SHEET

Conforms to OSHA HazCom 2024 Standard

SECTION 1: IDENTIFICATION**1.1 PRODUCT IDENTIFIER**

R10SAL

1.2 CHEMICAL NAME

Siliconized Acrylic Latex

1.3 SYNONYMS

n/a

1.4 RECOMMENDED USE OF CHEMICAL AND RESTRICTIONS ON USE

Industrial Use Caulk

1.5 NAME, ADDRESS, AND TELEPHONE OF MANUFACTURER

R2 Sealant Systems
3410 Millennium Blvd SE
Massillon, Ohio 44646
330-880-4700

1.6 EMERGENCY TELEPHONE NUMBER

CHEMTREC (24/7): 1-800-424-9300

SECTION 2: HAZARD IDENTIFICATION**2.1 CLASSIFICATION OF THE CHEMICAL IN ACCORDANCE WITH PARAGRAPH (d) OF 29 CFR 1910.1200**

Not classified as a hazardous substance or mixture.

2.2 LABEL ELEMENTS

Not classified as a hazardous substance or mixture.

2.3 HAZARDS NOT OTHERWISE CLASSIFIED

None known.

2.4 UNKNOWN ACUTE TOXICITY

None known.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS**3.1 SUBSTANCE / MIXTURE**

Not classified as a hazardous substance or mixture.

SECTION 4: FIRST AID MEASURES**4.1 DESCRIPTION OF FIRST AID MEASURES****4.1A INHALATION**

Move person to fresh air and keep comfortable for breathing. If feeling unwell, consult a physician.

4.1B SKIN

Wash off with plenty of water.

4.1C EYES

Flush eyes thoroughly with water for several minutes. Remove contact lenses after the initial 1-2 minutes and continue flushing for several additional minutes. If symptoms occur, consult a physician.

SAFETY DATA SHEET

Conforms to OSHA HazCom 2024 Standard

4.1D INGESTION

If swallowed, wash mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if needed.

4.2 MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED

Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.

4.3 INDICATION OF IMMEDIATE MEDIAL ATTENTION AND SPECIAL TREATMENT NEEDED

No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

SECTION 5: FIREFIGHTING MEASURES**5.1 EXTINGUISHING MEDIA**

Use an extinguishing agent suitable for the surrounding fire. Alcohol-resistant foam. Carbon dioxide (CO₂). Dry chemical. Water spray.

5.2 SPECIFIC HAZARDS ARISING FROM THE CHEMICAL

In a fire or if heated, a pressure increase will occur and the container may burst.

5.3 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

Wear self-contained breathing apparatus for firefighting.

SECTION 6: ACCIDENTAL RELEASE MEASURES**6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT, AND EMERGENCY PROCEDURES**

Follow safe handling advice and personal protective equipment recommendations. Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

6.2 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

Wipe up or scrape up and contain for salvage or disposal. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.

SECTION 7: HANDLING AND STORAGE**7.1 PRECAUTIONS FOR SAFE HANDLING**

Take care to prevent spills, waste and minimize release to the environment. Handle in accordance with good industrial hygiene and safety practice. Use only with adequate ventilation.

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Keep in properly labelled containers. Store between 41 – 100°F. Protect from direct sunlight in a dry, cool and well-ventilated area. Keep away from strong oxidizing agents.

SAFETY DATA SHEET

Conforms to OSHA HazCom 2024 Standard

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 CONTROL PARAMETERS

None known.

8.2 APPROPRIATE ENGINEERING CONTROLS

Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

8.3 INDIVIDUAL PROTECTION MEASURES

Use safety glasses and chemical resistant gloves, such as nitrile or neoprene. Wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. Under normal and intended conditions of product use, no respiratory protection should be needed.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE	Paste
COLOR	Varies
ODOR	Latex
MELTING POINT	No data available
FREEZING POINT	No data available
BOILING POINT	100°C (212°F),
FLAMMABILITY	Not classified as a flammability hazard
LOWER/UPPER EXPLOSION LIMIT	No data available
FLASH POINT	>100°C (>212°F), closed cup
AUTO-IGNITION TEMPERATURE	No data available
DECOMPOSITION TEMPERATURE	No data available
pH	7 - 9
VISCOSITY	No data available
SOLUBILITY IN WATER	Miscible
PARTITION COEFFICIENT n-OCTANOL/WATER	No data available
VAPOR PRESSURE	No data available
DENSITY	Clear 8.5 lbs./gal Colored 12.9 lbs./gal
RELATIVE VAPOR DENSITY	No data available
PARTICLE CHARACTERISTICS	No data available
VOC	<50 g/L, less water and exempt solvents

SECTION 10: STABILITY AND REACTIVITY

10.1 REACTIVITY

Not classified as a reactivity hazard.

10.2 CHEMICAL STABILITY

Stable under normal conditions.

SAFETY DATA SHEET

Conforms to OSHA HazCom 2024 Standard

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 CONDITIONS TO AVOID

None known.

10.5 INCOMPATIBLE MATERIALS

Avoid contact with oxidizing materials.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

Decomposition products can include and are not limited to: carbon oxides.

SECTION 11: TOXICOLOGICAL INFORMATION**11.1 INFORMATION ON THE LIKELY ROUTES OF EXPOSURE**

Eye contact, skin contact, and ingestion.

11.2 SYMPTOMS RELATED TO THE PHYSICAL, CHEMICAL, AND TOXIOLOGICAL CHARACTERISTICS

Very low toxicity if swallowed. Swallowing may result in irritation of the mouth, throat, and gastrointestinal tract. At room temperature, exposure to vapor is minimal due to low volatility. Vapor from heated material may cause respiratory irritation. May cause slight temporary eye irritation. Prolonged skin contact is unlikely to result in absorption of harmful amounts and is unlikely to cause significant skin irritation but may cause drying and flaking of the skin.

11.3 DELAYED, IMMEDIATE, AND CHRONIC EFFECTS OF SHORT AND LONG-TERM EXPOSURE

None known.

11.4 NUMERICAL MEASURES OF TOXICITY

None known.

11.5 INTERACTIVE EFFECTS

None known.

11.6 CARCINOGENICITY

Not classified based on available information.

SECTION 12: ECOLOGICAL INFORMATION**12.1 ECOTOXICITY**

No data available.

12.2 PERSISTENCE AND DEGRADABILITY

No data available.

12.3 BIOACCUMULATIVE POTENTIAL

No data available.

12.4 MOBILITY IN SOIL

No data available.

12.5 OTHER ADVERSE EFFECTS

No data available.

SAFETY DATA SHEET

Conforms to OSHA HazCom 2024 Standard

SECTION 13: DISPOSAL CONSIDERATIONS**13.1 DESCRIPTION OF WASTE RESIDUES**

Do not dump into any sewers, on the ground, or into any body of water.

13.2 INFORMATION ON SAFE HANDLING AND METHODS OF DISPOSAL

All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility of the waste generator. Empty containers should be recycled or otherwise disposed of by an approved waste management facility. Do not re-use containers for any purpose.

SECTION 14: TRANSPORT INFORMATION**14.1 UN NUMBER**

Not regulated.

14.2 UN PROPER SHIPPING NAME

Not regulated.

14.3 TRANSPORT HAZARD CLASS

Not regulated.

14.4 ENVIRONMENTAL HAZARDS

Not regulated.

14.5 TRANSPORT IN BULK

Not regulated.

14.6 SPECIAL PRECAUTIONS

None known.

SECTION 15: REGULATORY INFORMATION**15.1 SAFETY, HEALTH, AND ENVIRONMENTAL REGULATIONS****15.1A EPA SARA TITLE III HAZARD CLASS**

Not classified as hazardous.

15.1B OSHA HCS HAZARD CLASS

Not classified as hazardous.

15.1C TSCA

All components of this product are listed on TSCA inventory.

15.1D CANADIAN WHIMIS

This product is not a "controlled product".

15.1E CANADIAN DSL

All components of this product are listed on the Domestic Substance List.

15.1F CALIFORNIA PROPOSITION 65

This product can expose you to vinyl acetate, which is known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov.

SAFETY DATA SHEET

Conforms to OSHA HazCom 2024 Standard

SECTION 16: OTHER INFORMATION**PREPARATION DATE:** 01/04/2024**REVISION DATE:** 03/20/2026**VERSION:** 2.0

This information was prepared in good faith from the best information available at the time of issue. It is based on the present level of research and to this extent we believe it is accurate. No guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. R2 Sealant Systems will accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products.